Application for Consent to conduct Marine Scientific Research

Date:	<u>25.11.2014</u>

1. General Information

1.1 Cruise name and/or number: 385	

1.2 Sponsoring Institution(s):	
Name:	Thünen-Institute of Sea Fischeries
Address:	Palmaille 9, 22767 Hamburg, Germany
Name of Director:	Dr Gerd Kraus

1.3 Scientist in charge of the Project:	
Name:	Dr Eckhard Bethke
Country:	Germany
Affiliation:	Thünen-Institute of Sea Fischeries
Address:	Palmaille 9, 22767 Hamburg, Germany
Telephone:	+49 40 38905-203
Fax:	+494038905-264
Email:	eckhard.bethke@ti.bund.de
Website (for CV and photo):	http://www.ti.bund.de/en/startseite/institutes/sea-
	fisheries/staff/scientists/bethke.html

1.4 Entity(ies)/Participant(s) from coastal State involved in the planning of the project:		
Name:	P. Fernandes	
Affiliation:	FRS Marine Laboratory, Aberdeen	
Address:	Room 419 Zoology Building	
Telephone:	+44 (0)1224 274166	
Fax:		
Email:	fernandespg@abdn.ac.uk	
Website (for CV and photo):	http://www.abdn.ac.uk/biologicalsci/staff/details/fernandespg	

2. Description of Project

2.1 Nature and objectives of the project:

Calibration of echo sounder equipment as preparation of an international acoustic redfish survey off Iceland, Russia and Germany (as a part of the pelagic trawl-acoustic survey targeting oceanic redfish)

2.2 If designated as part of a larger scale project, then provide the name of the project and the Organisation responsible for coordinating the project:

ICES-pelagic trawl-acoustic survey targeting oceanic redfish (two-year rhythm)

2.3 Relevant previous or future research projects:

International acoustic survey (Russia, Iceland, Germany, Norway) in June-July 1996, 1999, 2001, 2003, 2005, 2007, 2009, 2011 and 2013

2.4 Previous publications relating to the project:

See report of the Working Group on Redfish Surveys (WGRS). — ICES CM 2013 / SSGESST: 14 and previous reports available at the home page of the ICES The name of the working group changed. New reports are available at: http://www.ices.dk/publications/library/Pages/default.aspx#k=wgideeps

3. Geographical Areas

3.1 Indicate geographical areas in which the project is to be conducted (with reference in Latitude and longitude in decimal degrees, including coordinates of cruise/track/way points/sampling stations). Please provide coordinates in a separate excel spreadsheet.

Possible positions of the calibration: 58°28'N-004°43'W (Loch Eriboll) or 58°54'N-003°02'W (Orkney Islands, Scapa Flow)

3.2 Attach chart(s) at an appropriate scale (1 page, high-resolution) showing the geographical Areas of the intended work and, as far as practicable, the location and depth of sampling Stations, the tracks of survey lines, and the locations of installations and equipment.

Depicted in attached map

4. Methods and means to be used

4.1 Particulars of vessel:	
Name:	FRV "Walther Herwig III"
Type/Class:	Research vessel
Nationality (Flag State):	Germany
Identification Number (IMO/Lloyds No.):	IMO 9048392
Owner:	Federal Republic of Germany
Operator:	Bundesanstalt für Landwirtschaft und Ernährung
Overall length (meters):	63.18
Maximum draught:	6.20
Displacement/Gross Tonnage:	2132
Propulsion:	Diesel Electric
Cruising & maximum speed:	10/13 kn
Call sign:	DBFH
INMARSAT number and method and	Tel.: +870 773 236 187
capability	Fax.: +870 783 209 565
of communication (including emergency	
frequencies):	
Name of Master:	Capt H. O. Janßen or deputy
Number of Crew:	21
Number of Scientists on board:	12

4.2 Particulars of Aircraft:	
Name:	
Make/Model:	
Nationality (flag State):	
Website for diagram & Specifications:	
Owner:	
Operator:	
Overall Length (meters):	
Propulsion:	
Cruising & Maximum speed:	
Registration No.:	
Call Sign:	
Method and capability of communication	
(including emergency frequencies):	
Name of Pilot:	
Number of crew:	

Number of eciontists on	boordi		
Number of scientists on			
Details of sensor package			
Other relevant information	on:		
4.3 Particulars of Autono	omous Underwater Vehi	cle (AUV):	
Name:			
Manufacturer and make/model:			
Nationality (Flag State):			
Website for diagram & S	Specifications:		
Owner:			
Operator:			
Overall length (meters):			
Displacement/Gross tonnage:			
Cruising & Maximum sp			
Range/Endurance:			
Method and capability o	f communication		
(including emergency from			
Details of sensor package			
Other relevant information			
Other relevant information	011.		
4.4 other craft in the pro	ioct including its use:		
4.4 other craft in the pro	ject, including its use.		
4.5 Dentier lane of months	de full description of an		
	•	entific instruments to be	used(for fishing gear
specify type and dimens		T	
Types of samples and	Methods to be used:	Instruments to be	To be carried out
Measurements:		used:	within 12nm (yes or
			no):
CTD		Seabird	no): yes
CTD Sounder		Seabird EK60	'
			yes
Sounder	quantity of substances t		yes yes
Sounder	quantity of substances t	EK60	yes yes
Sounder 4.6 Indicate nature and	quantity of substances t	EK60	yes yes
Sounder 4.6 Indicate nature and	quantity of substances t	EK60	yes yes
Sounder 4.6 Indicate nature and none		EK60 o be released into the ma	yes yes arine environment:
Sounder 4.6 Indicate nature and none		EK60	yes yes arine environment:
Sounder 4.6 Indicate nature and none 4.7 Indicate whether dril		EK60 o be released into the ma	yes yes arine environment:
Sounder 4.6 Indicate nature and none 4.7 Indicate whether dril		EK60 o be released into the ma	yes yes arine environment:
Sounder 4.6 Indicate nature and none 4.7 Indicate whether dril no	lling will be carried out.	EK60 o be released into the ma	yes yes arine environment:
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether exp	lling will be carried out.	EK60 o be released into the ma If yes, please specify: No	yes yes arine environment:
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether expected content, depth	lling will be carried out. Dlosives will be used. If a of trade class and stow	EK60 o be released into the ma If yes, please specify: No yes, please specify type yage, size, depth of detor	yes yes arine environment:
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether expected content, depth Detonation, and position	lling will be carried out. Dlosives will be used. If a of trade class and stow	EK60 o be released into the ma If yes, please specify: No yes, please specify type yage, size, depth of detor	yes yes arine environment:
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether expected content, depth	lling will be carried out. Dlosives will be used. If a of trade class and stow	EK60 o be released into the ma If yes, please specify: No yes, please specify type yage, size, depth of detor	yes yes arine environment:
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether expected content, depth Detonation, and position	lling will be carried out. Dlosives will be used. If a of trade class and stow	EK60 o be released into the ma If yes, please specify: No yes, please specify type yage, size, depth of detor	yes yes arine environment:
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether exp Chemical content, depth Detonation, and position no	lling will be carried out. Dlosives will be used. If a of trade class and stow in latitude and longitud	EK60 o be released into the ma If yes, please specify: No yes, please specify type yage, size, depth of detor	yes yes arine environment:
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether exp Chemical content, depth Detonation, and position no	lling will be carried out. Dlosives will be used. If a of trade class and stow	EK60 o be released into the ma If yes, please specify: No yes, please specify type yage, size, depth of detor	yes yes arine environment:
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether experimental content, depth Detonation, and position no 5. Installations	lling will be carried out. plosives will be used. If a of trade class and stow in latitude and longitudes and Equipment	EK60 o be released into the material of the m	yes yes arine environment: and trade name, nation, frequency of
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether experimental content, depth Detonation, and position no 5. Installations	lling will be carried out. plosives will be used. If a of trade class and stown in latitude and longitudes and Equipment	EK60 o be released into the material of the m	yes yes arine environment: and trade name, ation, frequency of
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether experimental content, depth Detonation, and position no 5. Installations a Anticipated timeframe for	lling will be carried out. plosives will be used. If a of trade class and stown in latitude and longitudes and Equipment	EK60 o be released into the material of the m	yes yes arine environment: and trade name, ation, frequency of
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether experiments of the second content, depth Detonation, and position no 5. Installations a Anticipated timeframe for Measurements):	lling will be carried out. plosives will be used. If a of trade class and stown in latitude and longitudes and Equipment	EK60 o be released into the material of the m	yes yes arine environment: and trade name, ation, frequency of
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether experimental content, depth Detonation, and position no 5. Installations a Anticipated timeframe for	lling will be carried out. plosives will be used. If a of trade class and stown in latitude and longitudes and Equipment	EK60 o be released into the material of the m	yes yes arine environment: and trade name, nation, frequency of
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether expendenced content, depth Detonation, and position no 5. Installations a Anticipated timeframe for Measurements): 1993	lling will be carried out. plosives will be used. If a of trade class and stown in latitude and longitudes and Equipment	EK60 o be released into the material of the m	yes yes arine environment: and trade name, nation, frequency of
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether experiments of the second of the	lling will be carried out. plosives will be used. If a of trade class and stown in latitude and longitudes and Equipment	EK60 o be released into the material of the m	yes yes arine environment: and trade name, nation, frequency of
4.6 Indicate nature and none 4.7 Indicate whether dril no 4.8 Indicate whether experimental content, depth Detonation, and position no 5. Installations Details of installations a Anticipated timeframe for Measurements): 1993 6. Dates	lling will be carried out. colosives will be used. If a of trade class and stown in latitude and longitude and Equipment and equipment (including or recover, as far as pos	EK60 o be released into the material of the m	yes yes arine environment: and trade name, nation, frequency of g, method and depth, and

18.06.2015 - 20.07.2015

6.2 Indicate if multiple entries are expected: yes 7. Port Calls 7.1 Dates and Names of intended ports of call: 7.2 Any special logistical requirements at ports of call: 7.3 Name/Address/Telephone of shipping agent (if available): 8. Participation of the representative of the coastal State 8.1 Modalities of the participation of the representative of the coastal State in the research Project: Co-financed by the EU 8.2 Proposed dates and ports for embarkation/disembarkation: No/none 9. Access to Data, Samples and Research Results 9.1 Expected dates of submission to coastal State of preliminary report, which should include the expected dates of submission of the data and research results: Within 2 months 9.2 Anticipated dates of submission to the coastal State of the final report: Within 12 months 9.3 Proposed means for access by coastal State to data (including format) and samples: ICES database 9.4 Proposed means to provide coastal State with assessment of data, samples and Research results: Report of the Working Group on Redfish Surveys (WGIDEEPS) 9.5 Proposed means to provide assistance in assessment or interpretation of data, samples And research results: Working Group on Redfish Surveys (WGIDEEPS) 9.6 Proposed means of making results internationally available: Report of the Working Group on Redfish Surveys (WGIDEEPS)

4

10.1 Indicate other types of coastal state permits anticipated for this research (received or

10.

Other permits Submitted

Pending):
none

11. List of Supporting Documentation

11.1 List of attachments, such as additional forms required by the coastal State, etc.: Map of two alternative positions

Signature:

Contact information of the focal point: Name: Dr. Eckhard Bethke

Country: Germany

Affiliation: Thünen-Institute of Sea Fisheries

Address: Palmalille 9
Telephone: +49 40 38905 203
Fax: +49 40 38905 264

Email: eckhard.bethke@ti.bund.de



Fig. 1 Location of the two alternative positions for echo sounder calibration purposes.