

MUMM

Management Unit of the North Sea Mathematical Models

RV BELGICA CRUISE 2012/28 – CRUISE REPORT

Subscribers:	Dr. Hans Polet (or Els Vanderperren)	
Institutes:	Ilvo Dier 1, Fishing Gear Research	
Addresses:	Ilvo Dier 1: Ankerstraat 1 8400 Oostende	
Telephones:	+32(0)59 56 98 37 (HP)	
	+32(0)59 56 98 40 (EV)	
E-mails:	hans.polet@ilvo.vlaanderen.be	
	els.vanderperren@ilvo.vlaanderen.be	

Fishery: 05/11/2012 - 09/11/2012

- 1. Cruise details
- 2. List of participants
- 3. Scientific objectives
- 4. Operational course
- 5. Track plot
- 6. Measurements and sampling
- 7. Remarks
- 8. Data storage

1. CRUISE DETAILS

1.	Cruise number	2012/28
2.	Date/time	Zeebrugge TD: 20/02/2012 at 11h30 Zeebrugge TA: 24/02/2012 at 08h00
3.	Chief Scientist	Bart Verschueren
	Participating institutes	none
4.	Area of interest	Mouth of the Thames

2. LIST OF PARTICIPANTS

INSTITUTE	NAME	05/11/12 - 09/11/2012
Ilvo Dier 1	Bart VERSCHUEREN	X
ш	Christian VANDEN BERGHE	X
u u	Eddy BUYVOETS	X
u	Fernand DELANGHE	X
и	Kevin VANHALST	X
и	Norbertus VAN CRAEYNEST	Х
Total number of participants:		6

3. SCIENTIFIC OBJECTIVES

The Belgian fishing fleet consists mainly of beam trawlers. This fishing method has some serious drawbacks like high fuel and material consumption, high discard levels and a significant environmental impact. ILVO-Fisheries (Oostende) is developing an alternative beam trawl in close cooperation with the fishery sector in order to reduce these drawbacks. Following alterations are being tested and are already used on board of some commercial beam trawlers on an experimental and voluntary basis:

- Roller gear to reduce ground the seafloor friction,
- large meshes (300mm) in the top panel to reduce gear drag and increase roundfish selectivity,
- a benthic release panel in square meshes in the belly of the trawl to reduce discarding of non-commercial species and
- a T-90 cod-end to reduce discarding of commercial roundfish and other non-commercial species.
- The Sumwing hydrodynamic beam.

This alternative beam trawl is being developed in the frame of:

the biodiversity directives of the European Commission (background: the Johannesburg Declaration),

- the "North Sea Cod Recovery Plan" and other management plans to protect commercial fish stocks,
- the IWT-project CIVIS and the project "Alternative beam trawl",
- The European Fishery Fund project ADVIS II,
- a general concern in ILVO-Fisheries about the quality of the marine environment and
- an increased profitability of the Belgian fishing sector.

The present Belgica voyage is dedicated to the following objectives:

- Selective escape panel in the side panel of the beam trawl.
- Collect live fish

4. OPERATIONAL COURSE

All times are given in local time. All coordinates in WGS84. Throughout the campaign, measurements are made with the AUMS system

Monday 05 November 2012:

- **09:00 11:00:** Embarkation and rigging of the fishing gear.
- 11:00 14:00: Repairing anchor winch.
- 14:00: Departure Zeebrugge, Steaming to the fishing ground "Westdiep"
- **16:30:** Arrival on the fishing ground "Westdiep". Preparing the fishing gear.
- **17:00 18:00:** haul 01

start position: N 51 10.100' E 02° 35.410' end position: N 51° 09.000' E 02° 30.700'

- 19:00: Steaming to the fishing grounds "Mouth of the Thames": "Orfordness".
- 21:30: End of activities.

Tuesday 06 November 2012:

• **05:55 – 07:30**: haul 02

start position: N 52° 11.400′ E 01° 46.940′ end position: N 52° 09.950′ E 01° 47.160′

• **08:55 – 09:25:** haul 03

start position: N 52° 09.770′ E 01° 45.120′ end position: N 52° 09.310′ E 01° 43.600′

• **09:45 – 11:15:** haul 04

start position: N 52° 09.120′ E 01° 44.330′ end position: N 52° 08.820′ E 01° 53.170′

• 11:40 - 13:10: haul 05

start position: N 52° 08.790' E 01° 52.710' end position: N 52° 08.810' E 01° 44.880'

• **13:35 – 15:05:** haul 06

start position: N 52° 08.920′ E 01° 42.880′ end position: N 52° 09.830′ E 01° 44.450′

• **16:05 – 17:35:** haul 07

start position: N 52° 10.330′ E 01° 47.660′ end position: N 52° 10.470′ E 01° 47.970′

• **17:55 – 19:15:** haul 08

start position: N 52° 10.330′ E 01° 45.830′ end position: N 52° 10.130′ E 01° 44.470′

• **19:35 – 21:00:** haul 09

start position: N 52° 10.550′ E 01° 46.600′ end position: N 52° 10.620′ E 01° 46.070′

• 22:30: End of activities.

Wednesday 07 November 2012:

• **06:00 – 07:30:** haul 10

start position: N 52° 10.440′ E 01° 44.480′ end position: N 52° 10.130′ E 01° 44.470′

• **09:30 –11:00:** haul 11

start position: N 52° 11:110′ E 01° 50.070′ end position: N 52° 10.670′ E 01° 46.110′

• **11:30 – 13:00:** haul 12

start position: N 52° 10.530′ E 01° 48.650′ end position: N 52° 10.400′ E 01° 51.730′

• **13:30 – 15:00:** haul 13

start position: N 52° 11.550′ E 01° 49.810′ end position: N 52° 10.630′ E 01° 47.170′

• **16:00 – 17:15:** haul 14

start position: N 52° 12.520′ E 01° 47.310′ end position: N 52° 10.620′ E 01° 46.070′

• **17:50 – 19:15:** haul 15

start position: N 52° 11.370′ E 01° 47.410′ end position: N 52° 11.220′ E 01° 47.290′

• **19:35 – 21:00:** haul 16

start position: N 52° 10.380′ E 01° 45.830′ end position: N 52° 10.000′ E 01° 44.530′

• 22:00: End of activities.

Thursday 08 November 2012:

• **06:00 – 07:00:** haul 17

start position: N 52° 09.960' E 01° 47.210'

end position: N 52° 10.010′ E 01° 47.360′

• **08:05 – 09:35:** haul 18

start position: N 52° 09.930' E 01°44.610' end position: N 52° 10.490' E 01° 47.120'

• **09:55 –11:25:** haul 19

start position: N 52°10.120′ E 01°47.660′ end position: N 52° 10.680′ E 01° 47.230′

• **13:00 – 14:30:** haul 20

start position: N 52° 10.680′ E 01°47.620′ end position: N 52° 09.370′ E 01° 43.390′

• **15:00 – 16:30:** haul 21

start position: N 52° 10.670′ E 01°47.390′ end position: N 52° 09.930′ E 01° 46.870′

• **08:05 – 19:00:** haul 22

start position: N 52° 10.890′ E 01°47.460′ end position: N 52° 10.690′ E 01° 47.200′

• 23:00: End of activities.

Friday 09 November 2012:


• **08:00:** Arrival at Zeebrugge.

08:00 – 10:00:

Disembarkment of apparatus, fishing gear, live fish and personal material.

- End of campaign 2012/11

5. TRACK PLOT



6. MEASUREMENTS AND SAMPLING

6.1. ILVO

Fishing gear: 8 meter 120mm twin beam trawl with 40 mm cod-ends.



Following selective devices were tested:

• Inclined separator panels.

Catch sampling: Both of the twin trawl gears were rigged with standard commercial 4m beam trawls. Both gears were equipped with 40mm double cod-ends, each time one upper and one lower cod-end. The net was rigged with an inclined separator panel. This panel that starts in the belly, shortly after the bobbin rope, should allow sole to penetrate and allow this fish to end up in the lower part of the net. Due to its strong ability to penetrate net meshes, especially this species will take advantage of this panel. Other species such as plaice that do not penetrate net meshes as easily will stay in the upper part of the net. As such, the two species can be guided to cod-ends with appropriate mesh sizes. The catch can thus be separated in order to minimise discards.

The experiments determine the proportion of each fish and invertebrate species in the different compartments of the gear. For this purpose the length distributions were determined for all commercial fish species. After each tow, the weight for each compartment in the gear was determined for the total catch and discards. All commercial fish species in the catch were sorted and measured. There was also a benthos sample taken to estimate the non-commercial catch. The benthos was counted and weighted by species.

Live fish: Fish of the following species were collected and kept alive: sole, cod, ray, dogfish.

7. REMARKS

In order to plan the embarkation more efficiently it would be useful to be informed in advance when the departure time is altered, for instance due to reparation works.

The ILVO-Fishery team would like to thank the Cdt and crew of RV Belgica for the good cooperation.

8. DATA STORAGE

All automatic online acquired data (ODASIII including AUMS) have been provided to BMDC. Contact person:
BMDC@mumm.ac.be

sheets at ILVO for further analysis in R.
Oostende, 12/11/2012
Bart Verschueren,
Chief Scientist.

Data on the catch composition and the effect of the technical alterations to the gear are stored in Excel